

別表1. 疾病別性別・年齢別・受療率 (地域別の受療率は県と比較し脳卒中と虚血性心疾患は±1%で、高血圧と糖尿病は±2%で、高い場合はピンク色、低い場合は黄色で示す。)

男性 24~26年平均	県	岡山	倉敷	津山	玉野	笠岡	井原	備前	総社	高梁	新見	和気	早島
脳卒中	40代	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.7
	50代	2.2	2.2	2.4	2.3	2.4	1.2	2.3	3.0	2.7	2.0	3.5	2.8
	60代	4.9	5.0	4.7	5.3	6.0	5.0	5.3	5.3	5.1	5.4	4.5	4.9
	70代	7.0	7.0	7.1	7.3	7.6	6.3	7.9	8.2	7.8	8.2	7.5	6.0
	80以上	18.5	18.1	20.4	17.4	18.3	13.8	16.4	18.8	23.4	19.1	20.9	18.4
	合計	8.6	8.2	8.8	8.8	9.4	7.6	9.2	9.8	10.3	10.9	11.2	9.0

40代	0.8	0.7	1.0	0.9	1.0	0.9	1.2	1.1	0.9	0.4	0.0	0.6	1.8	
虚血性心	50代	2.3	2.5	2.3	2.0	2.4	1.5	0.6	2.7	3.4	2.2	1.0	4.2	1.8
	60代	5.2	5.4	4.9	5.2	6.4	4.3	5.3	6.5	4.6	3.8	4.1	4.9	5.1
	70代	9.1	9.5	8.4	9.5	9.3	8.5	9.2	12.1	8.4	6.6	7.5	13.8	10.5
	80以上	13.6	14.1	13.4	13.5	14.1	11.8	13.8	16.4	11.9	10.3	12.3	16.3	13.0
	合計	7.5	7.6	7.0	7.8	8.4	7.0	8.2	9.9	6.9	6.4	7.3	10.1	8.0

40代	4.8	4.7	5.0	5.3	6.5	4.8	6.5	5.2	3.8	5.5	6.8	4.4	3.1	
高血圧	50代	14.0	25.4	23.2	21.4	17.0	15.0	13.1	16.1	15.7	11.3	17.2	6.8	6.8
	60代	27.7	28.7	26.8	29.2	29.8	24.9	26.8	28.4	26.9	24.6	30.2	26.8	32.0
	70代	35.2	36.0	33.4	38.8	34.5	33.3	34.9	36.3	31.3	29.6	37.7	38.4	35.7
	80以上	39.4	40.0	37.4	44.9	39.6	37.7	38.7	39.8	33.9	33.3	39.7	44.0	43.5
	合計	29.0	30.4	28.6	33.4	31.1	28.6	30.1	30.9	27.3	26.8	33.3	30.3	29.0

40代	3.7	3.2	4.0	3.9	5.8	4.3	5.2	5.0	3.6	3.4	6.4	3.5	3.5	
糖尿病	50代	6.8	13.4	13.4	11.6	8.2	9.2	8.0	7.3	8.9	7.9	6.9	3.8	2.7
	60代	8.3	8.5	8.3	8.4	7.3	7.7	9.7	8.1	8.4	7.9	8.4	7.9	7.9
	70代	10.5	11.0	10.4	9.9	9.8	10.5	11.8	9.4	10.0	9.2	8.8	8.9	13.8
	80以上	9.5	11.0	9.6	8.3	8.7	8.7	10.7	8.4	10.2	6.8	6.8	8.2	9.7
	合計	8.7	9.0	8.8	8.4	8.3	8.6	10.3	8.4	9.0	7.8	7.8	8.1	9.9

女性 24~26年平均	県	岡山	倉敷	津山	玉野	笠岡	井原	備前	総社	高梁	新見	和気	早島	
脳卒中	40代	0.4	0.5	0.4	0.4	1.1	0.4	0.5	0.2	0.2	0.0	0.7	0.0	0.0
	50代	1.2	1.0	1.5	1.7	1.2	1.0	1.1	1.8	1.0	1.6	1.5	2.2	
	60代	2.9	2.7	3.3	3.0	3.0	2.3	2.6	4.0	3.0	2.8	3.0	1.9	
	70代	4.3	4.0	4.7	4.1	5.5	3.2	4.2	5.5	5.1	4.7	5.0	4.8	
	80以上	15.5	15.1	17.2	14.6	16.6	9.6	13.6	15.6	20.7	16.3	17.9	16.0	12.6
	合計	6.0	5.5	6.1	6.1	7.0	4.3	6.1	7.0	7.3	7.7	8.1	6.8	4.3

40代	0.4	0.3	0.4	0.6	0.3	0.4	1.2	0.3	0.4	0.6	0.3	0.4	0.0	
虚血性心	50代	1.1	1.0	1.2	0.9	1.1	0.6	1.8	1.2	0.8	0.8	1.7	1.6	
	60代	2.8	2.6	2.7	3.4	2.7	2.9	3.0	4.0	2.2	2.6	2.8	3.2	
	70代	6.0	6.0	5.5	6.6	5.7	5.6	6.5	7.5	4.7	5.0	5.1	5.8	
	80以上	10.9	10.5	10.7	11.4	11.6	9.5	11.3	13.2	8.7	9.6	10.2	16.3	9.1
	合計	5.9	5.5	5.4	6.8	6.2	5.8	7.0	7.7	4.7	6.2	6.3	9.0	5.2

40代	3.3	3.1	3.1	4.2	2.8	3.9	2.4	3.6	3.2	3.8	2.8	4.4	5.2	
高血圧	50代	12.0	11.2	12.1	14.7	11.7	10.1	12.3	12.0	12.7	10.0	11.5	9.9	11.0
	60代	24.2	23.3	24.0	27.6	23.9	21.9	25.8	23.7	23.8	20.7	27.6	25.8	21.8
	70代	35.5	34.8	34.9	41.1	34.4	3							

別表2. 疾病別性別・60歳以上の入院割合 (県と比較し、±2%で多い地域はピンク色、少ない地域は黄色で示す。)

男性	年代	県	岡山	倉敷	津山	玉野	笠岡	井原	備前	総社	高梁	新見	和気	早島
脳卒中	60代	8.1	7.7	9.5	9.8	5.6	6.4	6.5	4.7	8.2	10.9	10.0	7.0	8.7
	70代	8.0	7.2	8.3	9.4	9.2	7.7	8.8	8.5	7.0	5.6	8.4	5.1	7.2
	80代	11.4	10.6	12.1	11.4	10.3	9.7	10.9	12.2	9.7	11.4	14.5	12.5	16.5
	計	9.5	8.8	10.1	10.4	8.9	8.4	9.4	9.4	8.5	9.4	12.1	8.9	11.4

虚血性心	60代	4.8	4.9	4.6	3.8	4.6	8.1	4.9	6.9	4.6	6.3	8.3	6.5	8.1
	70代	5.1	5.1	4.6	4.1	6.7	7.7	4.1	5.9	3.4	5.3	6.1	7.0	5.2
	80代	6.6	6	6.3	7.3	7.6	8.5	6.3	8.7	5.7	6.6	8.1	5.3	9.8
	計	5.7	5.4	5.2	5.4	6.6	8.1	5.2	7.1	4.5	6.1	7.5	6.3	7.3

高血圧	60代	1.6	1.6	1.4	1.7	1.7	1.8	2.3	2.3	1.0	2.1	1.2	1.4	0.9
	70代	2.3	1.9	2.0	3.0	2.8	2.1	3.0	3.1	1.5	2.4	2.4	3.8	3.2
	80代	4.5	3.8	4.1	5.8	5.2	4.4	4.2	6.9	3.9	5.0	4.5	6.1	6.1
	計	2.7	2.4	2.4	3.6	3.2	2.8	3.2	4.0	2.0	3.4	2.9	4.0	3.3

糖尿病	60代	5.3	5.3	5.3	6.3	5.5	5.1	6.2	5.7	5.1	6.9	4.7	5.6	5.9
	70代	5.8	5.4	6.2	5.6	4.9	4.9	6.7	6.7	4.6	7.6	6.9	3.8	8.0
	80代	9.0	7.8	9.0	9.4	13.6	11.6	10.5	12.5	9.7	10.9	11.5	7.1	15.4
	計	6.4	6.0	6.5	6.8	7.2	6.8	7.6	7.7	6.0	8.4	7.6	5.2	8.9

女性	年代	県	岡山	倉敷	津山	玉野	笠岡	井原	備前	総社	高梁	新見	和気	早島
脳卒中	60代	5.9	5.7	5.7	7.7	6.9	11.4	4.2	6.8	4.5	9.8	3.2	5.7	5.4
	70代	6.6	3.6	3.8	3.0	3.9	3.3	4.3	3.7	3.4	5.0	5.0	5.3	4.1
	80代	12.1	10.7	14.4	11.8	12.6	13.5	10.5	11.3	11.3	11.8	16.1	11.2	19.4
	計	10.0	7.4	8.9	8.4	8.3	9.4	7.8	7.6	7.8	9.6	11.8	8.6	12.0

虚血性心	60代	2.9	2.8	2.9	3.1	2.9	5.7	7.7	1.7	1.4	5.0	3.6	1.0	5.7
	70代	3.8	3.1	3.8	5.2	4.3	6.0	4.6	4.6	3.2	5.0	2.2	2.8	3.8
	80代	6.7	5.6	7.1	7.4	6.9	7.9	6.9	9.9	7.5	9.8	8.8	9.3	13.2
	計	5.4	4.4	5.4	6.3	5.7	7.1	6.3	7.1	5.4	8.2	6.6	6.9	8.7

高血圧	60代	1.0	0.8	0.9	1.5	1.3	0.8	0.5	1.5	1.0	1.8	1.1	1.4	1.2
	70代	1.6	1.4	1.6	2.2	1.8	1.5	1.6	2.1	1.4	1.8	2.1	2.1	1.2
	80代	4.5	3.7	4.4	5.1	6.3	4.6	4.6	5.4	4.4	5.8	4.5	5.9	5.1
	計	2.8	2.3	2.5	3.5	3.6	2.9	2.8	3.5	2.6	4.0	3.1	3.8	2.8

糖尿病	60代	3.9	4.2	3.9	5.3	2.9	3.2	4.4	3.9	3.5	4.3	3.4	2.3	1.6
	70代	4.9	4.9	4.7	4.3	5.5	5.3	6.0	4.8	3.0	3.8	5.8	2.3	5.5
	80代	11.0	10.6	10.0	13.2	14.4	9.2	12.2	11.7	10.1	14.3	14.2	10.1	11.4
	計	6.5	6.5	6.0	7.6	7.4	6.0	7.5	6.8	5.0	8.2	8.5	5.2	5.9

里庄	矢掛	新庄	勝央	奈義	美作	西粟倉	久米南	吉備中央	瀬戸内	赤磐	真庭	鏡野	美咲	浅口
7.2	5.9	0.0	1.7	0.0	11.0	0.0	16.7	3.4	4.1	7.2	13.3	10.7	4.5	5.6
	9.4	11.0	18.2	7.2	2.9	10.6	9.7	4.9	8.9	6.8	12.5	6.5	10.3	5.5
	11.2	11.1	45.0	14.4	14.9	10.5	7.0	8.7	14.7	11.8	9.4	14.2	9.7	13.7
	9.9	10.2												

別表3. 年齢別特定健診受診者数（3年計）及び受診割合

県全体では40、50代の受診率が低い。50代から「身体の曲がり角」という認識を高める必要がある。
その他群の受診割合が少ないので健診の効果が低い。

地域	年代	男 性					女 性						
		HT群	DM群	その他群	総計	年齢別 受診割合	その他群 受診割合	HT群	DM群	その他群	総計	年齢別 受診割合	その他群 受診割合
県	40、50	1,879	585	12,776	15,240	14.7	20.1	1,858	330	19,070	21,258	14.0	18.2
	60	14,441	3,922	29,427	47,790	46.0	46.2	18,506	2,948	53,092	74,546	49.0	50.8
	70	15,279	4,014	21,611	40,904	39.4	33.9	20,620	3,219	32,500	56,339	37.1	31.1
岡山	40、50	699	168	4,901	5,768	16.9	23.7	674	92	7,743	8,509	16.0	21.0
	60	4,548	1,093	8,546	14,187	41.7	41.4	5,948	853	17,171	23,972	45.1	46.6
	70	5,545	1,336	7,218	14,099	41.4	34.9	7,568	1,131	11,920	20,619	38.8	32.4
倉敷	40、50	258	52	1,800	2,110	12.0	16.3	325	37	3,287	3,649	13.1	17.2
	60	2,684	377	5,180	8,241	46.7	47.0	3,771	316	9,916	14,003	50.2	52.0
	70	2,877	377	4,038	7,292	41.3	36.6	3,983	354	5,928	10,265	36.7	31.0
津山	40、50	100	37	574	711	15.9	21.8	109	27	834	970	15.3	20.3
	60	699	210	1,270	2,179	48.8	48.3	868	162	2,126	3,156	49.9	51.8
	70	595	195	788	1,578	35.3	29.9	887	165	1,144	2,196	34.7	27.9
玉野	40、50	70	15	511	596	16.0	19.5	77	9	708	794	14.7	17.3
	60	434	110	1,327	1,871	50.3	50.7	576	79	2,223	2,878	53.2	54.2
	70	365	110	780	1,255	33.7	29.8	476	84	1,173	1,733	32.1	28.6
笠岡	40、50	46	18	316	380	14.4	18.7	30	8	495	533	13.5	17.0
	60	313	98	780	1,191	45.3	46.1	411	70	1,534	2,015	51.2	52.5
	70	370	94	597	1,061	40.3	35.3	425	74	891	1,390	35.3	30.5
井原	40、50	71	25	407	503	13.2	18.5	71	13	514	598	11.8	16.0
	60	595	188	1,058	1,841	48.3	48.2	704	154	1,652	2,510	49.5	51.6
	70	580	159	730	1,469	38.5	33.3	772	149	1,038	1,959	38.7	32.4
備前	40、50	39	10	248	297	12.5	15.5	42	7	310	359	10.2	12.7
	60	269	68	745	1,082	45.5	46.7	423	57	1,282	1,762	50.1	52.5
	70	331	66	602	999	42.0	37.7	479	70	848	1,397	39.7	34.8
総社	40、50	72	21	369	462	11.3	14.8	95	19	638	752	13.5	15.9
	60	672	194	1,349	2,215	54.1	53.9	727	124	2,335	3,186	57.0	58.2
	70	498	136	783	1,417	34.6	31.3	549	63	1,038	1,650	29.5	25.9
高梁	40、50	31	10	235	276	15.1	19.9	21	7	245	273	11.1	13.3
	60	229	72	561	862	47.3	47.6	232	52	918	1,202	49.0	50.0
	70	226	75	383	684	37.5	32.5	269	34	674	977	39.8	36.7
新見	40、50	48	20	241	309	10.9	14.8	31	9	402	442	10.7	14.6
	60	434	119	806	1,359	47.8	49.5	541	86	1,438	2,065	49.9	52.2
	70	433	162	581	1,176	41.4	35.7	617	100	917	1,634	39.5	33.3
和気	40、50	9	3	88	100	2.2	15.5	10	3	148	161	11.8	15.3
	60	95	33	254	382	44.8	44.9	153	25	455	633	46.5	47.1
	70	122	25	224	371	43.5	39.6	165	38	364	567	41.7	37.6
早島	40、50	10	4	94	108	14.6	19.5	13	0	122	135	13.1	15.2
	60	94	18	205	317	43.0	42.4	103	10	452	565	55.0	56.4
	70	105	24	184	313	42.4	38.1	93	6	228	327	31.8	28.4
里庄	40、50	22	13	107	142	12.0	14.9	12	10	165	187	12.0	15.4
	60	143	61	362	566	47.9	50.5	189	47	588	824	53.0	54.7
	70	148	77	248	473	40.1	34.6	184	40	320	544	35.0	29.8

地域	年代	男 性					女 性						
		HT群	DM群	その他群	総計	年齢別 受診割合	その他群 受診割合	HT群	DM群	その他群	総計	年齢別 受診割合	その他群 受診割合
矢掛	40、50	27	18	211	256	12.3	17.4	34	5	278	317	11.8	15.9
	60	303	123	608	1,034	49.8	50.0	347	84	954	1,385	51.8	54.7
	70	289	101	396	786	37.9	32.6	377	84	512	973	36.4	29.3
新庄	40、50	7	1	22	30	18.9	24.4	1		27	28	14.8	21.8
	60	20	6	42	68	42.8	46.7	27	1	74	102	54.0	59.7
	70	26	9	26	61	38.4	28.9	28	8	23	59	31.2	18.5
勝央	40、50	22	5	153	180	18.3	26.4	17	1	128	146	12.6	16.6
	60	159	46	286	491	50.0	49.3	150	29	402	581	50.0	52.1
	70	123	47	141	311	31.7	24.3</td						

別表4. HT群の年齢別所見者・率

県全体では40、50代の男性に問題の人が多い。

血圧高値率が高い場合は血圧管理に問題。低い場合は、未受診者に血圧高値者が多い可能性がある。

肥満率が前回より低下した場合、肥満の人が健診未受診者に移行した可能性がある。

地域	年代	男 性				女 性			
		血圧高値		肥 満		血圧高値		肥 満	
		人数	率	人数	率	人数	率	人数	率(前回)
県	40、50	166	8.8	944	50.2	472		125	6.7
	60	1,132	7.8	5,252	36.4	348		1,358	7.3
	70	1,181	7.7	5,225	34.2	33.5		1,537	7.5
県 計		2,479	7.8	11,421	36.1	34.9		3,020	7.4
岡山	40、50	67	9.6	371	53.1			53	7.9
	60	369	8.1	1,724	37.9			445	7.5
	70	408	7.4	1,883	34.0			587	7.8
岡山 計		844	7.8	4,349	37.8			1,085	7.6
倉敷	40、50	20	7.6	30	33.0	40.9	減	17	5.2
	60	207	7.7	359	32.3	28.5		257	6.8
	70	195	6.8	429	32.9	32.8		267	6.7
倉敷 計		422	7.2	818	32.6	31.2		541	6.7
津山	40、50	11	11.0	58	58.0	57.7		4	3.7
	60	51	7.3	251	35.9	29.8		43	5.0
	70	46	7.7	204	34.3	32.8		58	6.5
津山 計		108	7.7	513	36.8	33.2		105	5.6
玉野	40、50	3	4.3	39	55.7	54.8		7	9.1
	60	26	6.0	150	34.6	31.7		46	8.0
	70	18	4.9	144	39.5	40.8		34	7.1
玉野 計		47	5.4	333	38.3	37.0		87	7.7
笠岡	40、50	6	13.0	22	47.8	47.1		4	13.3
	60	27	8.6	115	36.7	34.2		26	6.3
	70	43	11.6	127	34.3	35.7		41	9.6
笠岡 計		76	10.4	264	36.2	35.6		71	8.2
井原	40、50	7	9.9	43	60.6	26.9		7	9.9
	60	45	7.6	211	35.5	34.9		64	9.1
	70	65	11.2	194	33.4	26.2		58	7.5
井原 計		117	9.4	448	36.0	30.2		129	8.3
備前	40、50	5	12.8	22	56.4	41.9		3	7.1
	60	23	8.6	120	44.6	41.4		35	8.3
	70	36	10.9	126	38.1	36.3		44	9.2
備前 計		64	10.0	268	41.9	38.9		82	8.7
総社	40、50	7	9.7	33	45.8	57.9	減	8	8.4
	60	61	9.1	231	34.4	30.2		53	7.3
	70	45	9.0	150	30.1	28.2		45	8.2
総社 計		113	9.1	414	33.3	31.1		106	7.7
高梁	40、50	3	9.7	17	54.8	55.0		0	0.0
	60	23	10.0	80	34.9	34.3		18	7.8
	70	18	8.0	85	37.6	36.6		22	8.2
高梁 計		44	9.1	182	37.4	36.7		40	7.7
新見	40、50	3	6.3	22	45.8	60.5	減	3	9.7
	60	46	10.6	144	33.2	29.4		55	10.2
	70	36	8.3	114	26.3	35.6		52	8.4
新見 計		85	9.3	280	30.6	34.4	減	110	9.3
和気	40、50	0	0.0	4	44.4	50.0	減	1	10.0
	60	15	15.8	33	34.7	43.8	減	21	13.7
	70	8	6.6	38	31.1	35.6		13	7.9
和気 計		23	10.2	75	33.2	40.7	減	35	10.7
早島	40、50	2	20.0	3	30.0	33.3	減	0	0.0
	60	1	1.1	22	23.4	18.3		4	3.9
	70	3	2.9	14	13.3	31.0	減	4	4.3
早島 計		6	2.9	39	18.7	23.5	減	8	3.8
里庄	40、50	1	4.5	18	81.8	61.9		2	16.7
	60	19	13.3	50	35.0	31.8		18	9.5
	70	14	9.5	54	36.5	31.7		26	14.1
里庄 計		34	10.9	122	39.0	34.8		46	11.9

地域	年代	男 性				女 性			
		血圧高値		肥 満		血圧高値		肥 満	
		人数	率	人数	率	人数	率	人数	率(前回)
矢掛	40、50	2	7.4	14	51.9	50.0		1	2.9
	60	29	9.6	88	29.0	28.5		35	10.1
	70	38	13.1	91	31.5	28.3		33	8.8
矢掛 計		69	11.1	193	31.2	29.6		69	9.1
新庄	40、50		0.0	1	14.3	100.0			0.0
	60	3	15.0	5	25.0	38.5	減	1	3.7
	70	3	11.5	14	53.8	25.0		3	10.7
新庄 計		6	11.3	20	37.7	36.4		4	7.1
勝央	40、50	3	13.6	6	27.3	27.8		1	5.9
	60	5	3.1	41	25.8	28.8	減	9	6.0
	70	4	3.3	28	22.8	20.0		8	4.6
勝央 計		12	3.9	75	24.7	24.6		18	5.3
奈義	40、50	2	18.2	2	18.2	60.0	減	0	0.0
	60	7	7.3	34	35.4	48.1	減	6	5.6
	70	2	2.4	36	42.4	39.2		7	7.1
奈義 計		11	5.7	72	37.5	44.4	減	13	6.1

別表5. DM群の年齢別所見者・率

県全体では管理に問題の人が多い。血圧高値率やHbA1c率が高い場合は管理が悪い人が多いが、低い場合は問題の人が未受診の可能性があり。

地域	年代	男性				女性						
		血圧高値		HbA1c		肥満		血圧高値		HbA1c		
		人数	率	人数	率	人数	率	率(前回)	人数	率	率(前回)	
県	40、50	44	7.5	182	31.1	354	60.5	55.3	21	7.6	368	
	60	244	6.2	881	22.5	1,376	35.1	32.6	159	5.4	3,159	
	70	242	6.0	768	19.1	1,330	33.1	33.0	230	7.1	3,374	
	県 計	530	6.2	1,831	21.5	3,060	35.9	34.4	410	6.3	6,901	
	岡山	40、50	17	10.1	57	33.9	118	70.2	9	9.8	104	
	市	60	80	7.3	216	19.8	402	36.8	54	6.3	917	
岡山市	70	84	6.3	275	20.6	490	36.7		85	7.5	1,182	
	計	181	7.0	548	21.1	1,010	38.9		148	7.1	2,203	
	倉敷	40、50	1	4.3	29	33.7	13	56.5	66.7	0	0.0	
	60	9	5.3	171	27.1	56	32.7	21.1	5	4.1	119	
	70	14	8.8	120	19.3	39	24.4	28.1	7	5.4	116	
倉敷	倉敷 計	24	6.8	320	24.0	108	30.5	26.9	12	4.5	260	
	津山	40、50	0	0.0	10	27.0	18	48.6	66.7	1	3.7	32
	60	12	5.7	45	21.4	72	34.3	30.2	8	4.9	170	
津山	70	6	3.1	35	17.9	70	35.9	57.8	6	3.6	176	
	津山 計	18	4.1	90	20.4	160	36.2	45.9	15	4.2	378	
玉野	40、50	0	0.0	2	13.3	14	93.3	76.2	0	0	9	
	60	5	4.5	19	17.3	35	31.8	31.2	4	5.1	80	
	70	2	1.8	27	24.5	37	33.6	31.2	5	6.0	85	
玉野	玉野 計	7	3.0	48	20.4	86	36.6	36.1	9	5.2	174	
笠岡	40、50	4	22.2	7	38.9	15	83.3	61.1	0	0.0	8	
	60	6	6.1	29	29.6	34	34.7	31.3	4	5.7	73	
	70	4	4.3	12	12.8	29	30.9	26.3	8	10.8	80	
笠岡	笠岡 計	14	6.7	48	22.9	78	37.1	32.9	12	7.9	161	
井原	40、50	2	8.0	7	28.0	14	56.0	45.5	0	0.0	15	
	60	20	10.6	43	22.9	52	27.7	31.6	6	3.9	168	
	70	13	8.2	28	17.6	50	31.4	17.6	10	6.7	155	
井原	井原 計	35	9.4	78	21.0	116	31.2	26.7	16	5.1	338	
備前	40、50	3	30.0	4	40.0	8	80.0	80.0	1	14.3	8	
	60	4	5.9	11	16.2	22	32.4	54.5	6	10.5	61	
	70	5	7.6	9	13.6	24	36.4	51.4	5	7.1	70	
備前	備前 計	12	8.3	24	16.7	54	37.5	54.7	12	9.0	139	
総社	40、50	3	14.3	6	28.6	7	33.3	25.0	0	0.0	20	
	50	6	3.1	61	31.4	55	28.4	26.5	6	4.8	136	
	70	8	5.9	36	26.5	29	21.3	33.9	4	6.3	64	
総社	総社 計	17	4.8	103	29.3	91	25.9	29.1	10	4.9	220	
高梁	40、50	1	10.0	3	30.0	6	60.0	77.8	1	14.3	8	
	60	7	9.7	18	25.0	19	26.4	24.4	1	1.9	54	
	70	7	9.3	7	9.3	13	17.3	16.7	6	17.6	34	
高梁	高梁 計	15	9.6	28	17.8	38	24.2	25.5	8	8.6	96	
新見	40、50	2	10.0	1	5.0	10	50.0	40.0	2	22.2	9	
	60	9	7.6	40	33.6	40	33.6	40.6	2	2.3	94	
	70	9	5.6	23	14.2	56	34.6	29.1	11	11.0	105	
新見	新見 計	20	6.6	64	21.3	106	35.2	33.9	15	7.7	208	
和気	40、50	0	0	0	0	0	0.0	0.0	0	0	3	
	60	2	6.1	2	6.1	14	42.4	21.4	1	4.0	25	
	70	3	12.0	4	16.0	10	40.0	16.7	1	2.6	40	
和気	和気 計	5	8.2	6	9.8	24	39.3	17.2	2	3.0	68	
早島	40、50											
	60											
	70	1	4.2	4	16.7	3	12.5	50.0	0.0	0.0	10.0	
早島	早島 計	1	2.2	4	8.7	7	15.2	22.7	0.0	0.0	20.0	
里庄	40、50	0	0.0	2	15.4	5	38.5	0.0	1	10.0	10	
	60	8	13.1	12	19.7	14	23.0	31.4	3	6.4	52	
	70	6	7.8	12	15.6	20	26.0	44.4	6	15.0	42	
里庄	里庄 計	14	9.3	26	17.2	39	25.8	35.9	10	10.3	104	

地域	年代	男性				女性						
		血圧高値		HbA1c		肥満		血圧高値		HbA1c		
		人数	率	人数	率	人数	率	率(前回)	人数	率	人数	率
矢掛	40、50	2	11.1	2	11.1	9	50.0	37.5	0	0.0	6	20.0
	60	10	8.1	19	15.4	46	37.4	29.3	7	8.3	92	19.0
	70	11	10.9	14	13.9	29	28.7	25.0	12	14.3	90	28.6
	矢掛 計	23	9.5	35	14.5	84	34.7	27.7	19	11.0	188	23

別表6. その他群の年齢別所見者・率

未治療血圧高値率や高HbA1c率が高いのは健診効果がある地域。低いと問題の人が未受診の可能性がある。
前回より肥満率が低下した地域は肥満者が未受診へとドロップアウトした可能性がある。

地域	年代	男性						女性										
		血圧高値		HbA1c		肥満		血圧高値		HbA1c		肥満						
		人数	率	人数	率	人数	率(前回)	人数	率	人数	率	人数	率(前回)					
県	40、50	580	4.6	240	1.9	4,013	31.8	31.1		455	2.4	69	1.0	2,882	15.2	17.3	減	
	60	1,879	6.4	542	1.8	6,259	21.3	20.8		2,225	4.2	338	0.6	8,085	15.2	17.3	減	
	70	1,365	6.3	361	1.6	4,089	18.9	19.9	減	1,719	5.3	183	0.6	5,032	15.5	17.8	減	
	県 計	3,826	6.0	1,097	1.7	14,361	22.6	22.3		4,399	4.2	590	0.6	16,002	15.3	17.4	減	
岡山	40、50	236	4.8	26	0.5	1,514	30.9			191	2.5	20	0.3	1,028	13.3			
	60	602	7.0	55	0.6	1,880	22.0			743	4.3	107	0.6	2,430	14.2			
	70	476	6.6	85	1.2	1,397	19.4			657	5.5	54	0.5	1,776	14.9			
	岡山 計	1,314	6.4	166	0.8	4,791	23.2			1,591	4.3	181	0.5	5,234	14.2			
倉敷	40、50	27	3.5	30	1.7	254	32.9	30.0		40	2.6	14	0.8	222	14.3	14.7		
	60	126	5.5	70	1.4	451	19.5	18.7		163	3.7	49	0.9	568	12.8	13.7		
	70	84	4.6	54	1.3	282	15.4	15.2		131	4.6	26	0.3	384	13.6	15.8		
倉敷 計	237	4.8	154	1.4	987	20.1	18.8		334	3.8	89	0.6	1,174	13.3	14.5			
津山	40、50	27	4.7	12	2.1	174	30.3	32.0	減	17	2.0	4	0.5	138	16.5	17.7		
	60	59	4.6	20	1.6	275	21.7	19.3		65	3.1	14	0.7	317	14.9	16.7	減	
	70	39	4.9	12	1.5	136	17.3	19.2	減	37	3.2	5	0.4	147	12.8	14.6	減	
津山 計	125	4.7	44	1.7	585	22.2	22.0		119	2.9	23	0.6	602	14.7	16.2	減		
玉野	40、50	20	3.9	8	1.6	177	34.6	30.7		18	4.4	3	0.4	114	16.1	16.1		
	60	79	6.0	23	1.7	280	21.1	21.0		101	4.5	8	0.4	356	16.0	17.9		
	70	61	7.8	11	1.4	154	19.7	21.9	減	66	5.6	4	0.3	181	15.4	20.4	減	
玉野 計	160	6.1	42	1.6	611	23.3	22.8		185	4.5	15	0.4	651	15.9	18.2	減 良い人・受診		
笠岡	40、50	17	5.4	2	0.6	105	33.2	33.0		15	3.1	2	0.4	79	16.2	18.1	減	
	60	61	7.8	12	1.5	177	22.7	21.0		67	4.4	5	0.3	264	17.2	18.3		
	70	44	7.4	5	0.8	130	21.8	21.6		47	5.3	5	0.6	155	17.4	19.8	減	
笠岡 計	122	7.2	19	1.1	412	24.3	23.3		129	4.4	12	0.4	500	17.1	18.6			
井原	40、50	25	6.1	6	1.5	149	36.6	35.6		12	2.3	4	0.8	93	18.1	21.0	減	
	60	60	5.7	13	1.2	226	21.4	22.9		68	4.1	6	0.4	299	18.1	20.8	減	
	70	53	7.3	8	1.1	127	17.4	17.3		63	6.1	7	0.7	172	16.6	15.5		
井原 計	138	6.3	27	1.2	502	22.9	23.0		143	4.5	17	0.5	564	17.6	19.2	減		
備前	40、50	6	2.4	3	1.2	100	40.3	34.6		9	2.9	1	0.3	52	16.8	17.1		
	60	31	4.2	15	2.0	181	24.3	20.3		56	4.4	7	0.5	253	19.7	18.4		
	70	27	4.5	16	2.7	137	22.8	19.8		44	5.2	5	0.6	156	18.4	18.7		
備前 計	64	4.0	34	2.1	418	26.2	22.5		109	4.5	13	0.5	461	18.9	18.3	肥満対策		
総社	40、50	12	3.3	3	0.8	120	32.5	35.4	減	8	1.3	1	0.2	98	15.4	14.6		
	60	69	5.1	26	1.9	318	23.6	23.3		80	3.4	14	0.6	359	15.4	15.1		
	70	39	5.0	14	1.8	154	19.7	18.7		58	5.6	5	0.5	140	13.5	15.6	減	
総社 計	120	4.8	43	1.7	592	23.7	23.9		146	3.6	20	0.5	597	14.9	15.1			
高梁	40、50	19	8.1	2	0.9	94	40.0	30.4		1	0.4	2	0.8	40	16.3	17.0		
	60	51	9.1	13	2.3	116	20.7	20.9		28	3.1	3	0.3	129	14.1	17.1	減	
	70	20	5.2	5	1.3	72	18.8	14.8		16	2.4	1	0.1	96	14.2	18.5	減	
高梁 計	90	7.6	20	1.7	282	23.9	20.4		45	2.4	6	0.3	265	14.4	17.6	減		
新見	40、50	18	7.5	4	1.7	52	21.6	26.1	減	16	4.0	2	0.5	62	15.4	18.4	減	
	60	84	10.4	18	2.2	158	19.6	22.2	減	98	6.8	2	0.1	228	15.9	20.2	減	
	70	56	9.6	7	1.2	88	15.1	17.7	減	83	9.1	1	0.1	152	16.6	17.8		
新見 計	158	9.7	29	1.8	298	18.3	21.4	減	197	7.1	5	0.2	442	16.0	19.1	減		
和気	40、50	8	9.1	3	3.4	32	36.4	31.7		5	3.4	0	0.0	23	15.5	15.7		
	60	22	8.7	6	2.4	59	23.2	24.9		33	7.3	4	0.9	79	17.4	16.7		
	70																	

平成26年度
レセプト・特定健診データ分析による地域健康課題
～循環器系を中心に～

平成27年3月発行

編集・発行 岡山県国民健康保険団体連合会
住 所 〒700-8568 岡山市北区桑田町17-5
TEL 086-223-9103 FAX 086-223-9105
制 作 広和印刷株式会社